

AMENDMENTS TO THE CLAIMS:

This listing of claims replaces all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (Currently Amended) A method, performed on a client, of ~~providing~~ enabling an application core of a software application ~~with~~ to access ~~to~~ version-specific functionality, the method comprising:

sending, to a server, determining information from which a version of the software application can be determined;

~~providing~~ receiving, from the server, a module link that corresponds to the version; and  
authenticating the module link ~~by verifying against~~ by using a code that is unique to a user of the version of the software, the module link being used ~~by~~ to enable the application core to access one or more modules on the server that define ~~to~~ the version-specific functionality, and to prevent the application core from accessing other modules on the server that define other functionality for the software that is not the version-specific functionality;

wherein the application core comprises software that is common across multiple versions of the application, the version comprises one of the multiple versions, and the version-specific functionality comprises functionality that is specific to the version of the software application;  
wherein the client comprises a computer system.

2. (Cancelled)

3. (Currently Amended) The method of claim 1, ~~further comprising: encrypting wherein~~  
the received module link is encrypted ~~before providing the module link.~~

4. (Currently Amended) The method of claim 3, wherein the received module link is  
encrypted with a public key that corresponds to a the user ~~of the software application.~~

5. (Currently Amended) The method of claim 4, further comprising:  
~~receiving~~ sending, to the server, the public key used for encrypting the module link.

6. (Currently Amended) The method of claim 1, wherein the module link enables the  
application core to access to the version-specific functionality by enabling the application core to  
reference the ~~version-specific functionality~~ one or more modules.

7. (Currently Amended) The method of claim 1, wherein the module link enables the  
application core to access to the version-specific functionality by enabling the application core to  
~~downloading the version-specific functionality~~ download the one or more modules and to  
incorporate the ~~version-specific module~~ one or more modules into the application core.

8. (Original) The method of claim 1, wherein the module link comprises configuration  
settings for the application core.

9. (Currently Amended) The method of claim 1, ~~further comprising: receiving wherein~~  
~~the information comprises~~ identification information that corresponds to ~~a~~ the user of the  
~~software application; and~~

wherein the version of the software application is determined using the identification  
information.

10. (Original) The method of claim 1, wherein the software application comprises a  
content player in an electronic learning system and the version-specific functionality corresponds  
to at least one of an online content player, an authoring environment content player, and an  
offline content player.

11. (Currently Amended) A computer program product for ~~providing~~ enabling an  
application core of a software application ~~with to~~ access to version-specific functionality, the  
computer program product being embodied in one or more tangible machine-readable storage  
media, the computer program product being executable by a machine to cause the machine to:

~~send, to a server, determining~~ information from which a version of the software  
application can be determined;

~~provide~~ receive, from the server, a module link that corresponds to the version; and  
authenticate the module link ~~by verifying against~~ by using a code that is unique to a user  
of the version of the software, the module link being usable ~~by to enable~~ the application core to  
access one or more modules on the server that define to the version-specific functionality, and to

prevent the application core from accessing other modules on the server that define other functionality for the software that is not the version-specific functionality;

wherein the application core comprises software that is common across multiple versions of the application, the version comprises one of the multiple versions, and the version-specific functionality comprises functionality that is specific to the version of the software application.

12. (Cancelled)

13. (Currently Amended) The computer program product of claim 11, wherein the ~~computer program product is operable to cause the machine to: encrypt~~ the received module link is encrypted ~~before providing the module link.~~

14. (Currently Amended) The computer program product of claim 13, wherein the received module link is encrypted with a public key that corresponds to a the user ~~of the software application.~~

15. (Currently Amended) The computer program product of claim 14, wherein the computer program product is operable to cause the machine to:

~~receive~~ send, to the server, the public key used for encrypting the module link.

16. (Currently Amended) The computer program product of claim 11, wherein the module link enables the application core to access to the version-specific functionality by enabling the application core to reference the one or more modules ~~version-specific functionality~~.

17. (Currently Amended) The computer program product of claim 11, wherein the module link enables the application core to access to the version-specific functionality by enabling the application core to download the one or more modules ~~version-specific functionality~~ and to incorporate the ~~version-specific module~~ one or more modules into the application core.

18. (Original) The computer program product of claim 11, wherein the module link comprises configuration settings for the application core.

19. (Currently Amended) The computer program product of claim 11, wherein the ~~computer program product is operable to cause the machine to receive~~ information comprises identification information that corresponds to a the ~~user of the software application~~; and wherein the version of the software application is determined using the identification information.

20. (Original) The computer program product of claim 11, wherein the software application comprises a content player in an electronic learning system and the version-specific functionality corresponds to at least one of an online content player, an authoring environment content player, and an offline content player.

21. (Currently Amended) An electronic learning system, comprising:

a first computer system to provide course content;

a second computer system to provide a content player that presents the course content;

and

a third computer system to identify a version of the content player that is to present the course content, and to provide a module link for use by the content player to obtain modules specific to the version of the content player that is to present the course content, the modules providing functionality that is specific to the version of the content player that is to present the course content;

wherein the content player comprises software that is common across multiple versions of the content player, the version comprises one of the multiple versions, and the module link is authenticated by a code that is unique to a user.

22. (Cancelled)

23. (Currently Amended) The electronic learning system of claim 21, wherein the first computer system comprises a master repository that stores the course content.

24. (Original) The electronic learning system of claim 23, wherein the content player accesses the content from the master repository.

25. (Original) The electronic learning system of claim 21, wherein the content player is provided to a local computer, the local computer having access to a local repository of course content.

26. (Original) The electronic learning system of claim 25, wherein the content player accesses the content from the local repository.

27. (Currently Amended) The method of claim 21, wherein the third computer system encrypts the module link before providing the module link.

28. (Currently Amended) The method of claim 21, wherein the third computer system encrypts the module link with a public key that corresponds to a user of the software application.